
VIDEO REPORT

Beta Sheru finished sheru's balance 😱



STRONGEST SECOND	STEEPEST FALL	WEAKEST 3 SECONDS	AVERAGE LEVEL
0:50	**31%**	**1:34 to 1:37**	**60%**
after the first three seconds	0:58 to 1:01	lowest stretch of the curve	of this clip's own range

Predicted response across the video

Each point is one second. The scale is this clip's own range: 0 is its lowest second, 100 its highest.



What the model predicts


- After the first three seconds, the predicted brain response peaks at 0:50, the predicted response falls 31% between 0:58 and 1:01, and the weakest 3-second stretch is 1:34 to 1:37.
- After the fall at 1:01 the predicted response comes back up past its pre-fall level by 1:51 (147% of it), the strongest moment after the opening.
- The visual network has the highest predicted response for 48% of the clip, the language network for 31%.
- Speech is present in 12% of the seconds; the words are set against the curve on the later pages.

In this report


Brain networks: which of the four networks leads, and when
Key moments: the seconds worth a close look, with the frame and the words
Every second: level, leading network, most active regions and words
How to read this report: what each number is and what it is not

Brain networks

The model's cortical prediction is summarised as four networks. Each panel is scaled to that network's own range within this clip, so compare the shape and the timing of the panels, not their heights.




Leading network, second by second



NETWORK	LEADS FOR	SHARE OF THE CLIP	ITS STRONGEST SECOND
Visual	54 s	48%	1:51
Language	35 s	31%	0:31
Auditory	14 s	12%	1:51
Attention	9 s	8%	1:51


Mean of the four networks

This is the one series a percentage change is taken on, because it is not stretched to fill the chart. A fall is reported only when it starts at or above the clip average and loses 20% or more within three seconds.



Key moments


The seconds that define this video's predicted response. Levels are on the clip's own 0 to 100 range.



0:00 Opening

70 of 100

Leading network	Visual
System	Early visual cortex
Regions	Dorsal visual V3B; Ventro-medial visual (scene)




0:50 Strongest second

100 of 100

Leading network	Visual
System	Motion tracking (V5/MT)
Regions	Motion area (V5); Superior temporal visual

“[illegible]”




0:58 Fall begins

79 of 100

Leading network	Visual
System	Motion tracking (V5/MT)
Regions	Motion area (V5); Superior temporal visual

“[illegible]”




1:01 Fall ends

61 of 100

Leading network	Language
System	Voice & speech
Regions	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)

“[illegible]”




1:34 Weakest 3 s begin

1 of 100

Leading network	Attention
System	Auditory cortex
Regions	Auditory area 5 (superior temporal); Lateral intraparietal (attention)

“[illegible]”



1:51 Best after the fall, Final second

100 of 100

Leading network	Visual
System	Spatial attention
Regions	Dorsal visual (reach / motion); Upper visual field area

“[illegible]”

Every second

One row per second. Level is the position on the clip's own 0 to 100 range. The strongest second is marked with a dot; rows inside the steepest fall are tinted. Words are listed at the second their line starts.

TIME	LEVEL	NETWORK	MOST ACTIVE REGIONS	WORDS	CONFID.
0:00	70	Visual	Dorsal visual V3B; Ventro-medial visual (scene)		medium
0:01	67	Visual	Higher visual: color + face/object patches; Ventro-medial visual (scene)	[illegible] *unlimited* [illegible] *golden card* [illegible] *card* [illegible]	
0:02	65	Attention	Lateral intraparietal (attention/eye movements); Inferior frontal junction (attention switching)		lower
0:03	59	Visual	Lateral intraparietal (attention/eye movements); Higher visual: color + face/object patches		lower
0:04	55	Visual	Higher visual: color + face/object patches; Posterior belt (secondary auditory)		medium
0:05	56	Auditory	Posterior belt (secondary auditory); Lateral belt (secondary auditory)	[illegible] *mall*	
0:06	59	Auditory	Posterior belt (secondary auditory); Lateral belt (secondary auditory)		medium
0:07	65	Auditory	Lateral belt (secondary auditory); Posterior belt (secondary auditory)		medium
0:08	77	Auditory	Lateral belt (secondary auditory); Posterior belt (secondary auditory)		medium
0:09	77	Auditory	Auditory area 5 (superior temporal); Lateral belt (secondary auditory)		medium
0:10	81	Auditory	Lateral belt (secondary auditory); Posterior belt (secondary auditory)	[illegible]	
0:11	72	Auditory	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
0:12	74	Auditory	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
0:13	70	Auditory	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
0:14	78	Auditory	Temporo-parieto-occipital junction; Motion processing		lower
0:15	83	Visual	Temporo-parieto-occipital junction; Motion processing		lower
0:16	92	Visual	Temporo-parieto-occipital junction; Motion processing		lower
0:17	97	Visual	Temporo-parieto-occipital junction; Motion processing		lower
0:18	100	Visual	Temporo-parieto-occipital junction; Superior temporal visual		lower
0:19	99	Visual	Temporo-parieto-occipital junction; Superior temporal visual		lower
0:20	92	Visual	Motion-related; Temporo-parieto-occipital junction		medium
0:21	83	Visual	Motion-related; Temporo-parieto-occipital junction		medium
0:22	81	Visual	Temporo-parieto-occipital junction; Superior temporal visual		lower
0:23	76	Visual	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:24	73	Visual	Temporo-parieto-occipital junction; Superior temporal visual		lower
0:25	73	Visual	Temporo-parieto-occipital junction; Superior temporal visual		lower
0:26	73	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower

Every second (continued)

TIME	LEVEL	NETWORK	MOST ACTIVE REGIONS	WORDS	CONFID.
0:27	69	Language	Superior temporal sulcus (speech); Temporo-parieto-occipital junction		lower
0:28	63	Language	Superior temporal sulcus (speech); Temporo-parieto-occipital junction	[illegible]	
0:29	60	Language	Auditory area 5 (superior temporal); Early visual cortex		medium
0:30	58	Language	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
0:31	59	Language	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
0:32	53	Language	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
0:33	47	Language	Auditory area 5 (superior temporal); Early visual cortex		medium
0:34	49	Language	Early visual cortex; Auditory area 5 (superior temporal)	[illegible]	
0:35	61	Language	Early visual cortex; Superior temporal visual		medium
0:36	76	Language	Early visual cortex; Superior temporal visual		medium
0:37	83	Visual	Early visual cortex; Superior temporal visual		medium
0:38	83	Visual	Early visual cortex; Temporo-parieto-occipital junction		medium
0:39	84	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:40	84	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:41	86	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:42	91	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:43	93	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:44	99	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:45	100	Language	Superior temporal visual; Temporo-parieto-occipital junction	[illegible]	
0:46	99	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:47	93	Language	Superior temporal visual; Temporo-parieto-occipital junction		lower
0:48	97	Language	Superior temporal visual; Temporo-parieto-occipital junction	[illegible]	
0:49	100	Visual	Motion area (V5); Superior temporal visual		medium
0:50	100	Visual	Motion area (V5); Superior temporal visual		medium
0:51	100	Visual	Motion area (V5); Superior temporal visual		medium
0:52	100	Visual	Motion area (V5); Superior temporal visual	[illegible]	
0:53	93	Visual	Motion area (V5); Motion-related		medium
0:54	87	Visual	Motion area (V5); Motion-related		medium
0:55	89	Visual	Motion area (V5); Motion-related		medium
0:56	90	Visual	Motion area (V5); Motion-related	[illegible]	

Every second (continued)

TIME	LEVEL	NETWORK	MOST ACTIVE REGIONS	WORDS	CONFID.
0:57	88	Visual	Motion area (V5); Motion-related		medium
0:58	79	Visual	Motion area (V5); Superior temporal visual		medium
0:59	70	Language	Temporo-parieto-occipital junction; Superior temporal sulcus (speech)		lower
1:00	65	Language	Temporo-parieto-occipital junction; Superior temporal sulcus (speech)	[illegible]	lower
1:01	61	Language	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)		lower
1:02	51	Language	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)		lower
1:03	42	Auditory	Temporo-parieto-occipital junction; Superior temporal sulcus (speech)		lower
1:04	30	Auditory	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)	[illegible]	
1:05	20	Auditory	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
1:06	11	Auditory	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
1:07	7	Language	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)		lower
1:08	8	Language	Superior temporal sulcus (speech); Early visual cortex		lower
1:09	15	Language	Superior temporal sulcus (speech); Early visual cortex		lower
1:10	23	Language	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)		lower
1:11	29	Language	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)		lower
1:12	27	Language	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)		lower
1:13	23	Language	Superior temporal sulcus (speech); Auditory area 5 (superior temporal)		lower
1:14	13	Language	Superior temporal sulcus (speech); Early visual cortex		lower
1:15	8	Attention	Ventro-medial visual (scene); Early visual cortex		medium
1:16	13	Visual	Ventro-medial visual (scene); Parahippocampal (scene)		medium
1:17	26	Visual	Ventro-medial visual (scene); Early visual cortex		medium
1:18	34	Visual	Ventro-medial visual (scene); Temporo-parieto-occipital junction		medium
1:19	34	Visual	Ventro-medial visual (scene); Temporo-parieto-occipital junction		medium
1:20	36	Visual	Motion area (V5); Ventro-medial visual (scene)		medium
1:21	39	Visual	Motion area (V5); Temporo-parieto-occipital junction		medium
1:22	42	Visual	Motion area (V5); Temporo-parieto-occipital junction		medium
1:23	37	Visual	Motion area (V5); Temporo-parieto-occipital junction		medium
1:24	32	Visual	Motion area (V5); Motion-related		medium
1:25	24	Visual	Lateral occipital (objects); Dorsal motion/form area		medium
1:26	15	Visual	Lateral occipital (objects); Dorsal motion/form area		medium

Every second (continued)

TIME	LEVEL	NETWORK	MOST ACTIVE REGIONS	WORDS	CONFID.
1:27	8	Visual	Lateral occipital (objects); Temporo-occipital visual (objects)		medium
1:28	9	Attention	Temporo-occipital visual (objects); Lateral intraparietal (attention)		medium
1:29	16	Attention	Temporo-occipital visual (objects); Language network		medium
1:30	23	Attention	Temporo-occipital visual (objects); Language network		medium
1:31	21	Attention	Auditory area 5 (superior temporal); Inferior frontal junction (control)	[illegible]	
1:32	12	Attention	Inferior frontal junction (control); Auditory area 5 (superior temporal)		lower
1:33	4	Attention	Lateral intraparietal (attention); Auditory area 5 (superior temporal)		lower
1:34	1	Attention	Auditory area 5 (superior temporal); Lateral intraparietal (attention)		medium
1:35	0	Language	Auditory area 5 (superior temporal); Intraparietal (attention)	[illegible]	
1:36	3	Language	Motion-related; Motion area (V5)		medium
1:37	7	Visual	Motion area (V5); Motion-related		medium
1:38	12	Visual	Motion area (V5); Motion-related		medium
1:39	30	Visual	Motion area (V5); Motion-related		medium
1:40	56	Visual	Auditory area 5 (superior temporal); Temporo-parieto-occipital junction		medium
1:41	79	Visual	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
1:42	86	Visual	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
1:43	89	Visual	Auditory area 5 (superior temporal); Superior temporal sulcus (speech)		medium
1:44	87	Visual	Auditory area 5 (superior temporal); Temporo-parieto-occipital junction		medium
1:45	86	Visual	Auditory area 5 (superior temporal); Temporo-parieto-occipital junction		medium
1:46	87	Visual	Auditory area 5 (superior temporal); Temporo-parieto-occipital junction		medium
1:47	88	Visual	Lateral belt (secondary auditory); Auditory area 5 (superior temporal)		medium
1:48	92	Visual	Higher visual: color + face/object patches; Motion-related		medium
1:49	93	Visual	Higher visual: color + face/object patches; Motion area (V5)		medium
1:50	97	Visual	Motion area (V5); Upper visual field area		medium
1:51	100	Visual	Dorsal visual (reach / motion); Upper visual field area		lower

The words against the curve

Each spoken line with the average predicted level while it is said (clip range, 0 to 100). The clip average is 60; the tick on each bar marks it.

0:02	60	क्क्क क्क क्क क्क्क्क क्क unlimited क्क्क क्क्क क्क्क्क golden card क्क क्क्क क्क
0:06	69	क्क्क्क्क्क क्क्क्क क्क्क्क्क क्क्क क्क्क्क क्क क्क्क क्क्क्क क्क्क्क क्क्क्क्क क्क्क्क्क mall
0:11	80	क्क्क क्क्क्क्क्क क्क क्क क्क्क क्क्क्क क्क्क्क्क क्क्क क्क्क्क क्क्क्क्क, क्क्क क
0:28	56	क्क्क्क क्क्क्क क्क्क क्क क्क्क्क्क क्क क्क क्क्क क्क क्क, क्क क्क क्क्क क्क क
0:35	82	क्क्क्क क्क्क्क -क्क्क्क क्क्क्क क्क क्क्क क्क्क क्क्क्क क्क्क्क क्क क्क्क्क्क क
0:45	97	क्क्क्क्क्क, क्क्क्क्क क्क क्क्क्क क्क्क्क क्क्क्क्क्क क्क्क्क क्क क्क्क्क्क्क क्क क क्क्क
0:49	99	क्क्क्क क्क्क्क क्क्क क्क क्क्क्क क्क्क्क क्क्क्क्क क्क क्क क्क्क्क्क क्क्क्क क
0:53	92	क्क्क क्क्क्क क्क क्क्क्क क्क्क्क क्क्क्क्क 10 क्क्क क्क्क्क क्क्क क्क्क क्क्क्क
0:57	78	क्क्क्क्क क्क्क्क क्क क्क्क क्क्क क्क्क्क क्क्क क्क क्क्क्क क्क क्क्क्क क्क्क्क
1:01	50	क्क्क क्क्क्क क्क्क्क्क क्क्क क्क्क्क क्क्क क्क्क्क क्क्क्क क्क्क क्क्क्क क्क्क्क
1:05	22	क्क्क्क्क क्क्क्क्क क्क्क्क्क क्क क्क्क्क क्क क्क्क्क क्क्क्क क्क्क क्क्क्क क्क्क्क्क्क्क क्क्क्क
1:32	8	क्क क्क्क्क्क क्क्क क्क क्क्क्क क्क्क्क क्क क्क्क्क क्क्क क्क्क क्क्क्क क्क्क्क
1:36	64	क्क क्क्क्क्क्क क्क्क्क क्क्क्क क्क्क क्क्क्क्क क्क्क्क्क्क क्क्क्क्क्क्क्क्क क

How to read this report

What the model is

v2neuro is a brain-encoding model. It was trained on fMRI recordings of people watching video, and for a new video it predicts the response of the cortex, one value per second, from the picture, the sound and the words. Nobody watched your video for this report.

Strongest second

The second with the highest predicted response, leaving aside the first three seconds. The cortex responds to any clip starting, so the opening would win on most videos and say nothing about yours.

Level, and "of this clip's own range"

Charts and bars use a 0 to 100 scale stretched to this clip: 0 is its lowest second and 100 its highest. It shows where a second sits inside this video. It cannot be compared between two videos, and a difference between two levels is not a percentage change.

Steepest fall

The largest fall within three seconds, as a true percentage of the level it falls from, taken on the mean of the four networks without stretching. It is reported only when it starts at or above the clip average and reaches 20%. When no window qualifies the report states no percentage.

Weakest stretch

The three consecutive seconds with the lowest average level (on a clip under 15 seconds, a fifth of its length, at least one second), never the strongest second itself. Every video has one; it is the place to look first, not a fault by itself.

Networks, systems and regions

The four networks (visual, auditory, language, attention) group the cortical surface. The leading network is the one with the highest value in that second, each on its own range. Regions are the atlas areas with the highest predicted response in that second.

Confidence

Higher, medium or lower says how well the model has been shown to predict the regions that lead in that second, and how typical the second is for it. It is a guide to how much weight a row can carry.

What this is not

These are predictions of an average cortical response. They are not a measurement of your viewers and they do not forecast views, watch time or sales. On recordings held out from training, the model's predictions correlate with the measured response at about r = 0.27 for material like its training set and about r = 0.12 for very different films. The useful test is your own data: compare these moments with the numbers you already have.

neuro-viral

CONTACT

Website **neuro-viral.com**

Email **hello@vincli.com**

FOLLOW

Instagram **@neuro_viral.ai**

X **@vincli_ai**

YouTube **@vincli_neuro**

LinkedIn **VINCLI LTD**

VINCLI LTD, company no. 16677554, 128 City Road, London EC1V 2NX