
VIDEO REPORT


🌐🌐 Lost in the Rainforest... How Will She Survive? 🌐🌐🙂 #indianvillagelife



STRONGEST SECOND	STEEPEST FALL	WEAKEST 3 SECONDS	AVERAGE LEVEL
0:30	**35%**	**1:26 to 1:29**	**51%**
after the first three seconds	0:47 to 0:50	lowest stretch of the curve	of this clip's own range

Predicted response across the video

Each point is one second. The scale is this clip's own range: 0 is its lowest second, 100 its highest.



What the model predicts


- After the first three seconds, the predicted brain response peaks at 0:30, the predicted response falls 35% between 0:47 and 0:50, and the weakest 3-second stretch is 1:26 to 1:29.
- After the fall at 0:50 the predicted response comes back up past its pre-fall level by 0:57 (112% of it), the strongest moment after the opening.
- The visual network has the highest predicted response for 82% of the clip, the attention network for 9%.
- Speech is present in 1% of the seconds; the words are set against the curve on the later pages.

In this report


Brain networks: which of the four networks leads, and when
Key moments: the seconds worth a close look, with the frame and the words
Every second: level, leading network, most active regions and words
How to read this report: what each number is and what it is not

Brain networks

The model's cortical prediction is summarised as four networks. Each panel is scaled to that network's own range within this clip, so compare the shape and the timing of the panels, not their heights.




Leading network, second by second



NETWORK	LEADS FOR	SHARE OF THE CLIP	ITS STRONGEST SECOND
Visual	80 s	82%	0:35
Attention	9 s	9%	0:56
Auditory	7 s	7%	1:36
Language	1 s	1%	1:36

Mean of the four networks

This is the one series a percentage change is taken on, because it is not stretched to fill the chart. A fall is reported only when it starts at or above the clip average and loses 20% or more within three seconds.



Key moments


The seconds that define this video's predicted response. Levels are on the clip's own 0 to 100 range.



0:00 Opening

30 of 100

Leading network	Visual
System	Scene & place recognition
Regions	Ventro-medial visual (scene); Higher visual: color + face/object patches




0:30 Strongest second

100 of 100

Leading network	Visual
System	Motion tracking (V5/MT)
Regions	Motion-related; Lateral occipital (objects)

“2, 3, 4, 5, 7, 9, 10 Takk for”



0:47 Fall begins

44 of 100

Leading network	Visual
System	Motion tracking (V5/MT)
Regions	Motion-related; Motion area (V5)

“2, 3, 4, 5, 7, 9, 10 Takk for”




0:50 Fall ends

26 of 100

Leading network	Visual
System	Early visual cortex
Regions	Temporo-parieto-occipital junction; Motion area (V5)

“2, 3, 4, 5, 7, 9, 10 Takk for”




0:57 Best after the fall

88 of 100

Leading network	Visual
System	Motion tracking (V5/MT)
Regions	Motion-related; Upper visual field area

“2, 3, 4, 5, 7, 9, 10 Takk for”



1:26 Weakest 3 s begin

4 of 100

Leading network	Visual
System	Scene & place recognition
Regions	Parieto-occipital sulcus; Higher visual: color + face/object patches

“2, 3, 4, 5, 7, 9, 10 Takk for”

Every second

One row per second. Level is the position on the clip's own 0 to 100 range. The strongest second is marked with a dot; rows inside the steepest fall are tinted. Words are listed at the second their line starts.

TIME	LEVEL	NETWORK	MOST ACTIVE REGIONS	WORDS	CONFID.
0:00	30	Visual	Ventro-medial visual (scene); Higher visual: color + face/object patches		medium
0:01	32	Visual	Ventro-medial visual (scene); Higher visual: color + face/object patches		medium
0:02	34	Visual	Ventro-medial visual (scene); Higher visual: color + face/object patches		medium
0:03	39	Visual	Ventro-medial visual (scene); Higher visual: color + face/object patches		medium
0:04	43	Visual	Higher visual: color + face/object patches; Ventro-medial visual (scene)		medium
0:05	50	Visual	Higher visual: color + face/object patches; Ventro-medial visual (scene)		medium
0:06	56	Visual	Higher visual: color + face/object patches; Color & form processing		medium
0:07	60	Visual	Higher visual: color + face/object patches; Dorsal visual V3A	*2, 3, 4, 5, 7, 9, 10 Takk for*	medium
0:08	58	Visual	Higher visual: color + face/object patches; Dorsal visual V3A		medium
0:09	54	Visual	Higher visual: color + face/object patches; Posterior inferotemporal (objects)		medium
0:10	46	Visual	Higher visual: color + face/object patches; Posterior inferotemporal (objects)		medium
0:11	35	Visual	Higher visual: color + face/object patches; Posterior inferotemporal (objects)		medium
0:12	28	Visual	Higher visual: color + face/object patches; Posterior inferotemporal (objects)		medium
0:13	23	Visual	Higher visual: color + face/object patches; Color & form processing		medium
0:14	20	Visual	Higher visual: color + face/object patches; Color & form processing		medium
0:15	15	Visual	Higher visual: color + face/object patches; Color & form processing		medium
0:16	12	Visual	Higher visual: color + face/object patches; Inferior frontal junction (attention switching)		medium
0:17	12	Visual	Higher visual: color + face/object patches; Inferior frontal junction (attention switching)		medium
0:18	16	Visual	Higher visual: color + face/object patches; Motion processing		medium
0:19	26	Visual	Motion-related; Motion processing		medium
0:20	42	Visual	Motion-related; Motion processing		medium
0:21	61	Visual	Motion-related; Motion processing		medium
0:22	76	Visual	Motion-related; Motion processing		medium
0:23	85	Visual	Motion-related; Motion processing		medium
0:24	92	Visual	Motion-related; Motion processing		medium
0:25	94	Visual	Motion-related; Lateral occipital (objects)		medium
0:26	98	Visual	Motion-related; Lateral occipital (objects)		medium
0:27	100	Visual	Motion-related; Motion processing		medium
0:28	100	Visual	Motion-related; Motion processing		medium
0:29	100	Visual	Motion-related; Motion processing		medium
0:30	100 ●	Visual	Motion-related; Lateral occipital (objects)		medium
0:31	100	Visual	Motion-related; Lateral occipital (objects)		medium
0:32	100	Visual	Motion-related; Motion processing		medium

Every second (continued)

TIME	LEVEL	NETWORK	MOST ACTIVE REGIONS	WORDS	CONFID.
0:33	97	Visual	Motion-related; Lateral occipital (objects)		medium
0:34	92	Visual	Motion-related; Lateral occipital (objects)		medium
0:35	81	Visual	Lateral occipital (objects); Temporo-occipital visual (objects)		medium
0:36	73	Visual	Temporo-occipital visual (objects); Lateral occipital (objects)		medium
0:37	62	Visual	Higher visual: color + face/object patches; Motion-related		medium
0:38	56	Visual	Higher visual: color + face/object patches; Lateral occipital (objects)		medium
0:39	51	Visual	Motion-related; Higher visual: color + face/object patches		medium
0:40	54	Visual	Motion-related; Motion processing		medium
0:41	60	Visual	Motion-related; Motion processing		medium
0:42	70	Visual	Motion-related; Motion processing		medium
0:43	76	Visual	Motion-related; Motion processing		medium
0:44	75	Visual	Motion-related; Motion processing		medium
0:45	64	Visual	Motion-related; Upper visual field area		medium
0:46	54	Visual	Motion-related; Motion area (V5)		medium
0:47	44	Visual	Motion-related; Motion area (V5)		medium
0:48	39	Visual	Motion-related; Motion area (V5)		medium
0:49	32	Visual	Temporo-parieto-occipital junction; Motion area (V5)		medium
0:50	26	Visual	Temporo-parieto-occipital junction; Motion area (V5)		medium
0:51	24	Visual	Temporo-parieto-occipital junction; Motion area (V5)		medium
0:52	26	Visual	Temporo-parieto-occipital junction; Motion area (V5)		medium
0:53	38	Visual	Motion-related; Motion processing		medium
0:54	54	Visual	Motion-related; Motion processing		medium
0:55	72	Visual	Upper visual field area; Motion-related		medium
0:56	85	Visual	Motion-related; Upper visual field area		medium
0:57	88	Visual	Motion-related; Upper visual field area		medium
0:58	84	Visual	Motion-related; Motion processing		medium
0:59	70	Visual	Motion-related; Motion processing		medium
1:00	58	Visual	Motion-related; Motion processing		medium
1:01	48	Visual	Motion-related; Motion processing		medium
1:02	47	Visual	Motion-related; Motion processing		medium
1:03	50	Visual	Motion-related; Motion processing		medium
1:04	55	Visual	Motion-related; Upper visual field area		medium
1:05	62	Visual	Motion-related; Upper visual field area		medium
1:06	64	Visual	Upper visual field area; Motion-related		medium
1:07	61	Visual	Upper visual field area; Motion-related		medium
1:08	58	Visual	Upper visual field area; Motion-related		medium
1:09	53	Visual	Upper visual field area; Motion processing		medium
1:10	53	Attention	Motion processing; Upper visual field area		medium
1:11	50	Attention	Motion processing; Upper visual field area		medium
1:12	52	Attention	Motion processing; Motion-related		medium

Every second (continued)

TIME	LEVEL	NETWORK	MOST ACTIVE REGIONS	WORDS	CONFID.
1:13	53	Attention	Motion processing; Motion-related		medium
1:14	58	Attention	Motion processing; Motion-related		medium
1:15	61	Attention	Motion processing; Motion-related		medium
1:16	60	Attention	Motion processing; Motion-related		medium
1:17	52	Visual	Motion processing; Upper visual field area		medium
1:18	50	Visual	Motion-related; Upper visual field area		medium
1:19	41	Visual	Motion-related; Higher visual: color + face/object patches		medium
1:20	34	Visual	Motion-related; Higher visual: color + face/object patches		medium
1:21	25	Visual	Higher visual: color + face/object patches; Dorsal visual V3A		medium
1:22	23	Visual	Dorsal visual V3A; Higher visual: color + face/object patches		medium
1:23	22	Visual	Dorsal visual V3A; Parieto-occipital sulcus		medium
1:24	18	Visual	Parieto-occipital sulcus; Dorsal visual V3A		medium
1:25	11	Visual	Parieto-occipital sulcus; Anterior cingulate (control)		medium
1:26	4	Visual	Parieto-occipital sulcus; Higher visual: color + face/object patches		medium
1:27	0	Language	Parieto-occipital sulcus; Fusiform face complex (faces)		medium
1:28	2	Auditory	Fusiform face complex (faces); Posterior inferotemporal (objects)		medium
1:29	9	Auditory	Temporo-parieto-occipital junction; Superior temporal sulcus (speech)		lower
1:30	10	Auditory	Superior temporal sulcus (speech); Temporo-parieto-occipital junction		lower
1:31	14	Auditory	Higher visual: color + face/object patches; Anterior superior-temporal auditory		medium
1:32	20	Auditory	Anterior superior-temporal auditory; Scene & place recognition		lower
1:33	33	Auditory	Frontal operculum (salience); Scene & place recognition		lower
1:34	44	Auditory	Frontal operculum (salience); Scene & place recognition		lower
1:35	59	Attention	Frontal operculum (salience); Anterior cingulate (monitoring)		lower
1:36	62	Attention	Anterior cingulate (monitoring); Cingulate (control)		lower

The words against the curve

Each spoken line with the average predicted level while it is said (clip range, 0 to 100). The clip average is 51; the tick on each bar marks it.



How to read this report

What the model is

v2neuro is a brain-encoding model. It was trained on fMRI recordings of people watching video, and for a new video it predicts the response of the cortex, one value per second, from the picture, the sound and the words. Nobody watched your video for this report.

Strongest second

The second with the highest predicted response, leaving aside the first three seconds. The cortex responds to any clip starting, so the opening would win on most videos and say nothing about yours.

Level, and "of this clip's own range"

Charts and bars use a 0 to 100 scale stretched to this clip: 0 is its lowest second and 100 its highest. It shows where a second sits inside this video. It cannot be compared between two videos, and a difference between two levels is not a percentage change.

Steepest fall

The largest fall within three seconds, as a true percentage of the level it falls from, taken on the mean of the four networks without stretching. It is reported only when it starts at or above the clip average and reaches 20%. When no window qualifies the report states no percentage.

Weakest stretch

The three consecutive seconds with the lowest average level (on a clip under 15 seconds, a fifth of its length, at least one second), never the strongest second itself. Every video has one; it is the place to look first, not a fault by itself.

Networks, systems and regions

The four networks (visual, auditory, language, attention) group the cortical surface. The leading network is the one with the highest value in that second, each on its own range. Regions are the atlas areas with the highest predicted response in that second.

Confidence

Higher, medium or lower says how well the model has been shown to predict the regions that lead in that second, and how typical the second is for it. It is a guide to how much weight a row can carry.

What this is not

These are predictions of an average cortical response. They are not a measurement of your viewers and they do not forecast views, watch time or sales. On recordings held out from training, the model's predictions correlate with the measured response at about r = 0.27 for material like its training set and about r = 0.12 for very different films. The useful test is your own data: compare these moments with the numbers you already have.

neuro-viral

CONTACT

Website **neuro-viral.com**
Email **hello@vincli.com**

FOLLOW

Instagram **@neuro_viral.ai**
X **@vincli_ai**
YouTube **@vincli_neuro**
LinkedIn **VINCLI LTD**

VINCLI LTD, company no. 16677554, 128 City Road, London EC1V 2NX